L Number	Hits	Search Text	DB	Time stamp
1	94	719/310,318,330.ccls. and (reference$1 with (stub$1 proxy))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/21 17:29
2	0	709/310,318,330.ccls. and (reference$1 with (stub$1 proxy)) and (RPC RMI)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/21 17:29
3	58	719/310,318,330.ccls. and (reference$1 with (stub$1 proxy)) and (RPC RMI)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/21 17:29
-	142	709/318.ccls.	USPAT	2004/10/21 16:12
-	9	709/318.ccls. and (RMI VM$1)	USPAT	2003/02/11 14:02
-	129	709/318.ccls. and event	USPAT	2003/02/11 14:04
-	74	(709/318.ccls. and event) and distributed	USPAT	2003/02/11 14:22
-	609	(event$1 near3 (generat$3 notif$)) and (proxy stub)	USPAT	2003/02/11 14:24
-	142	((event$1 near3 (generat$3 notif$)) and (proxy stub)) and (RMI Corba)	USPAT	2003/02/11 14:25
-	177	java and rmi and stub and event$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 11:01
-	133	(java and rmi and stub and event$1) and (VM$1 (virtual adj machine))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 10:53
-	79	((java and rmi and stub and event$1) and (VM$1 (virtual adj machine))) and (event$1 near3 (notif$4 generat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 10:53
-	541	719/318.ccls. java and rmi and stub and event$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 11:01
-	3	719/318.ccls. and java and rmi and stub and event$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 11:02
-	0	listener and notifier and RMI and stub$1 and event$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 11:02
-	1	listener and notifier and stub$1 and event$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 11:03
-	177	listener and stub$1 and event$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 11:03

-	86	(listener and stub$1 and event$1) and rmi	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 11:03
-	2	719/318.ccls. and (event$1 with (stub$1 proxy)) and RMI	USPAT; US-PGPUB	2004/03/25 11:53
-	9	719/318.ccls. and (event$1 with (stub$1 proxy)) and java	USPAT; US-PGPUB	2004/03/25 11:55
-	57	rmi and (event$1 with (stub$1 proxy)) and java	USPAT; US-PGPUB	2004/03/25 11:55
-	19	rmi and (event$1 with (stub$1 proxy)) and skeleton	USPAT; US-PGPUB	2004/03/25 11:55
-	0	709/310,318,330.ccls. and (reference$1 with (stub$1 proxy))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/21 17:29
-	0	709/310,318,330.ccls. and (reference$1 same (stub$1 proxy)) and (RPC RMI)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/21 17:29
-	312	(reference$1 with (stub$1 proxy)) and (RPC RMI)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/21 16:24
-	88	((reference$1 with (stub$1 proxy)) and (RPC RMI)) and (event$1 with distributed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/21 16:24

Google Web Images Groups News Froogle more »
reference stub rmi event distributed 2000 Search Advanced Search Preferences

Web Results **1** - **10** of about **3,050** for **reference stub rmi event distributed 2000**. (**0.37** seconds)

Activatable Jini services, Part 1: Implement **RMI** activation
... this later to delegate lease management, //lookup discovery, and **event** handling. ... This activation system is stored in the **stub** as an internal **RMI reference**. ...
www.javaworld.com/javaworld/ jw-09-**2000**/jw-0915-jini**rmi**.html - Similar pages

[PDF] Java and **Distributed** Systems
File Format: PDF/Adobe Acrobat - View as HTML
... system) – operating system and programming language – **RMI**: focuses on ... 19) Object Implementation Local Object **Reference** Skeleton **Stub** ORB-Class ORB ...
www.netobjectdays.org/pdf/00/slides/fischer.pdf - Similar pages

Overview of WebLogic **RMI** in the WebLogic Framework
... are the resulting skeleton and **stub** classes that ... dramatically better than the **reference** implementation, and ... the only production-quality implementation of **RMI**. ...
www.weblogic.com/docs/techoverview/**rmi**.html - 26k - Cached - Similar pages

[PDF] **Distributed** Objects: A Lightning Tour **Distributed** Objects: A ...
File Format: PDF/Adobe Acrobat - View as HTML
... **RMI** Parameters and Serialization Arguments to **RMI** calls are passed ... RemoteObjects are passed by **reference**. **Stub**/skeleton classes loaded (eg, from server) by ...
www.cs.duke.edu/~chase/cps212-f00/slides/distobjx6.pdf - Similar pages

ESU Department of Computer Science Syllabus for CPSC 447/547
... 4.2.2. Implement the IDL file to generate **stubs** and skeletons. ... Applications of using **RMI** and CORBA. ... 2. **Reference** and Supplementary Materials (may be **distributed** ...
www.esu.edu/cpsc/courses/cpsc447&547.htm - 11k - Cached - Similar pages

Introduction to Java **RMI**
... which can then be used just like a local object **reference**. ... and use the rmic tool to create **stub** files ... Java **RMI** allows one Java Virtual Machine to invoke methods ...
www.javacoffeebreak.com/articles/java**rmi**/java**rmi**.html - 26k - Cached - Similar pages

jGuru: CORBA FAQ Home Page
... In **RMI**, while getting the remote **reference**, we specify the ... computing:CORBA ranjit33 ramsham, Jul 22, **2000 RMI** is a ... get the EJB's IDL and make the **stubs** for my ...
www.jguru.com/faq/home.jsp?topic=CORBA&page=3 - 29k - Oct 19, 2004 - Cached - Similar pages

jGuru: **RMI** FAQ Index By Topic
... client A and B. Both get a **reference** by: Naming ... I started working on **RMI** recently and this particular concept is ... will the Client know this from the **stub** it gets ...
www.jguru.com/faq/topicindex.jsp?topic=RMI - 101k - Cached - Similar pages

[PDF] Mikko Vapa mikvapa@jyu.fi TIE370 **Distributed** Systems
File Format: PDF/Adobe Acrobat - View as HTML
... out parameters (results of **RMI**) to client ... **reference** Communication module module **reference** module module for ... service client **stub** server **stub** procedure procedure ...
tisu.mit.jyu.fi/embedded/ TIE370/lectureslides/CourseSummary.pdf - Similar pages

OO Paradigms
... by-value (local copy) or. by **reference** (remote handle). ... Note: Class of remote object is name of Interface (**stub**). Push versus pull services and how handled in **RMI** ...
www.cs.ucf.edu/courses/cop4331/ hughes/Fall**2000**/Promises2F**2000**.html - 28k - Cached - Similar pages

New! Get the latest web results on **reference stub rmi event distributed 2000** emailed to you with Google Web Alerts.

Gooooooooooogle ▶
Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

reference stub rmi event distribute Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google